

**SKYTEC™****SS6****CUT RESISTANT, LIGHTWEIGHT PU COATED GLOVE**

Extremely flexible and dexterous, yet provides outstanding cut resistance for protection in high cut risk applications. PU coating protects the hand from abrasion and grease while delivering effective long lasting grip.

**FEATURES**


- › Cut resistant: Level E (EN 388:2016)
- › Flexible and comfortable while offering great dexterity
- › Steel fibre within the liner provides high level of cut protection for use in high cut risk environments
- › PU coating gives exceptional abrasion resistance while protecting the hand from light oil and grease
- › 13 gauge liner provides a 'second skin' fit for good handling of small parts
- › Reinforced thumb crotch enhances durability
- › Designed for easy movement and continuous wear
- › Breathable back of hand to reduce perspiration
- › Seamless knit prevents irritation
- › Elasticated wrist provides a secure fit

**SUITABLE FOR****Typical Industries**

- Automotive
- Construction
- Logistics
- Maintenance
- Manufacturing
- Metal Industry

**Suitable Applications**

- Assembling
- Handling Sharp and Greasy Parts
- Machining
- Bodywork
- Precision Mechanics
- Metal Stamping
- Glass Handling

**CERTIFICATION**

See overleaf for explanation

**GLOBUS**



## PRODUCTION INFORMATION

|             |                        |                                   |
|-------------|------------------------|-----------------------------------|
| MATERIALS   | LINER:                 | 13 gauge HPPE, steel fibre, nylon |
|             | COATING:               | Polyurethane (PU)                 |
| COLOUR      | Grey/Grey              |                                   |
| LENGTH (mm) | 250 (size dependent)   |                                   |
| CUFF STYLE  | Elasticated knit wrist |                                   |

## ORDERING DETAILS

| SIZE   | CODE     | PACKAGING          |
|--------|----------|--------------------|
| 7/S    | SKY00101 | 10 pairs per bag   |
| 8/M    | SKY00102 |                    |
| 9/L    | SKY00103 |                    |
| 10/XL  | SKY00104 | 120 pairs per case |
| 11/XXL | SKY00105 |                    |

## RECOMMENDATIONS FOR USE

- **USE:** General handling glove with cut protection. Not suitable for thermal, electrical and chemical protection. Do not use near moving machines if there is a risk of entanglement
- **STORAGE:** Store in dry conditions in the original packaging and away from direct sunlight
- **CLEANING:** To clean, wipe with a damp cloth. Note: The performance characteristics of worn and laundered gloves may differ from the results shown. Inspect the gloves to ensure no damage is present.
- **LIFETIME:** Service life depends on the glove application and therefore cannot be specified. It is the responsibility of user to ensure the glove is suitable for its intended use

## CERTIFICATION LEGENDS



### MECHANICAL HAZARDS EN 388:2016 PERFORMANCE LEVELS\*

| 0-4                 | 0-5                           | 0-4             | 0-4                 | A-F   | P                 |
|---------------------|-------------------------------|-----------------|---------------------|---|-------------------|
| Abrasion Resistance | Circular Blade Cut Resistance | Tear Resistance | Puncture Resistance | Straight Blade Cut Resistance (EN ISO: 13997) | Impact Resistance |

\*If tests are not performed or are not applicable, 'X' will be placed instead of a number/letter

### CLASSIFICATION FOR CUT RESISTANCE

| Measured breakthrough time | Permeation performance index (grams) |
|----------------------------|--------------------------------------|
| A1                         | ≥ 200                                |
| A2                         | ≥ 500                                |
| A3                         | ≥ 1000                               |
| A4                         | ≥ 1500                               |
| A5                         | ≥ 2200                               |
| A6                         | ≥ 3000                               |
| A7                         | ≥ 4000                               |
| A8                         | ≥ 5000                               |
| A9                         | > 6000                               |

## GLOBUS

### EUROPE

[www.globusgroup.com](http://www.globusgroup.com)

**E:** [sales@globus.co.uk](mailto:sales@globus.co.uk)

**T:** +44 (0)161 877 4747

**F:** +44 (0)161 877 4746

### MIDDLE EAST & AFRICA

[www.globusgroup.com/gcc](http://www.globusgroup.com/gcc)

**E:** [gcc@globusgroup.com](mailto:gcc@globusgroup.com)

**T:** +971 4 882 9962

**F:** +971 4 882 9963

### GLOBUS AMERICAS

[www.globusgroup.com](http://www.globusgroup.com)

**E:** [americas@globusgroup.com](mailto:americas@globusgroup.com)

Globus Group, T2 Trafford Point, Twining Road, Trafford Park, Manchester, M17 1SH, UNITED KINGDOM  
 Globus EMEA FZE, Jafza One, Tower A, Office 2201, Jebel Ali, PO Box 61195, Dubai, UNITED ARAB EMIRATES  
 Globus Americas LLC, 45 Rockefeller Plaza, Suite 2000, New York City, New York, 10111, USA

EU Type-Examination Certificate issued by SATRA Technology Europe Limited, Bracetown Business Park, Clonee, D15YN2P, Republic of Ireland. (Notified Body No. 2777).

UKCA Type-Examination Certificate issued by SATRA Technology Centre Ltd., Wyndham Way, Telford Way, Kettering, Northamptonshire, NN16 8SD, United Kingdom (Approved Body No. 0321)

The descriptions, characteristics, applications and photos are given for information purposes and do not constitute a contractual commitment. The manufacturer reserves the right to make any modifications it deems necessary.